2025

The Oregon Commercial Nearshore Fishery Data Update



Oregon Department of Fish and Wildlife
Marine Resources Program
2040 SE Marine Science Drive
Newport, OR 97365
(541) 867-4741

http://www.dfw.state.or.us/MRP/

Shawn P Ruzzi
October 2026

Photo: B. Ford - ODFW

Table of Contents

Introduction 5
Fishery Management and Harvest Specification Updates 6
Fishery Effort and Logbook Compliance 8
China, Copper, and Quillback Rockfish Biological Samples 8
Acknowledgements 9
References 9
Tables 10
Figures 17
Appendices 33

Tables

Table 1. Oregon nearshore species and management groups 10
Table 2. 2025 commercial harvest guidelines 11
Table 3. Bimonthly period durations 11
Table 4. 2025 bimonthly limits 11
Table 5. Commercial length samples by species 12
Table 6. Commercial weight samples by species 12
Table 7. Logbook compliance by port group 13
Table 8. Logbook catch by species and period 14
Table 9. Pounds landed by species and period 16
Table 10. Effort, pounds landed, and attainment by period and management group 16

Figures

Figure 1. Black Rockfish Management Areas (BRMAs) off Oregon. 17
Figure 2. Black Rockfish bimonthly limit history. 18
Figure 3. Blue and Deacon Rockfish bimonthly limit history. 18
Figure 4. Other Nearshore Rockfish bimonthly limit history. 18
Figure 5. Greenling bimonthly limit history. 18
Figure 6. Cabezon bimonthly limit history. 19
Figure 7. 2025 Commercial nearshore Black/Blue Rockfish permits by port group. 19
Figure 8. Black/Blue Rockfish permits by year. 19

Figure 9. Commercial nearshore fishery effort by year and gear type. 19
Figure 10. Commercial nearshore pounds landed by year and species management group. 20
Figure 11. Commercial nearshore ex-vessel value by year and species management group 20
Figure 12. Commercial nearshore pounds landed by year and gear type. 20
Figure 13. Commercial nearshore pounds landed by year and bimonthly period 20
Figure 14. Commercial nearshore pounds landed by year and market condition. 21
Figure 15. Commercial nearshore pounds landed by year and port group. 21
Figure 16. Commercial nearshore species average pounds landed per trip 21
Figure 17. Black Rockfish pounds landed by year and gear type. 21
Figure 18. Black Rockfish pounds landed by year and port group. 22
Figure 19. Black Rockfish pounds landed by year and bimonthly period. 22
Figure 20. Black Rockfish pounds landed by year and market condition. 22
Figure 21. Black Rockfish ex-vessel value by year. 22
Figure 22. Black Rockfish average pounds landed per trip. 23
Figure 23. Black Rockfish ex-vessel price per pound by year and market condition. 23
Figure 24. Blue and Deacon Rockfish pounds landed by year and gear type 23
Figure 25. Blue and Deacon Rockfish pounds landed by year and port group 23
Figure 26. Blue and Deacon Rockfish pounds landed by year and bimonthly period. 24
Figure 27. Blue and Deacon Rockfish pounds landed by year and market condition. 24
Figure 28. Blue and Deacon Rockfish ex-vessel value by year. 24
Figure 29. Blue and Deacon Rockfish average pounds landed per trip 24
Figure 30. Blue and Deacon Rockfish average ex-vessel price per pound by year and condition.25
Figure 31. Other Nearshore Rockfish pounds landed by year and species group 25
Figure 32. Other Nearshore Rockfish pounds landed by year and gear type. 25
Figure 33. Other Nearshore Rockfish pounds landed by year and port group. 25
Figure 34. Other Nearshore Rockfish pounds landed by year and period. 26
Figure 35. Other Nearshore Rockfish pounds landed by year and condition 26
Figure 36. Other Nearshore Rockfish ex-vessel value by year. 26
Figure 37. Other Nearshore Rockfish average pounds landed per trip 26
Figure 38. Other Nearshore Rockfish ex-vessel price per pound by year and condition .27
Figure 39. Greenling pounds landed by year and gear type. 27
Figure 40. Greenling pounds landed by year and port group. 27
Figure 41. Greenling pounds landed by year and bimonthly period. 27
Figure 42. Greenling pounds landed by year and market condition. 28
Figure 43. Greenling ex-vessel value by year. 28
Figure 44. Greenling average pounds landed per trip 28
Figure 45. Greenling average ex-vessel price per pound by year and condition. 28

Figure 46. Cabezon pounds landed by year and gear type. 29
Figure 47. Cabezon pounds landed by year and port group. 29
Figure 48. Cabezon landings by year and bimonthly period 29
Figure 49. Cabezon pounds landed by year and condition. 29
Figure 50. Cabezon ex-vessel value by year. 30
Figure 51. Cabezon average pounds landed per trip 30
Figure 52. Cabezon average ex-vessel price per pound by year and condition. 31
Figure 53. Other Nearshore Species pounds landed by year and species group. RF: Rockfish 31
Figure 54. Other Nearshore Species pounds landed by year and gear type 31
Figure 55. Other Nearshore Species pounds landed by port group. 31
Figure 56. Other Nearshore Species pounds landed by year and bimonthly period. 32
Figure 57. Other Nearshore Species pounds landed by year and condition 32
Figure 58. Other Nearshore Species ex-vessel value by year. 32
Figure 59. Other Nearshore Species average pounds landed per trip 32
Figure 60. Other Nearshore Species average ex-vessel price per pound by year and condition. 33
Figure 61. Landings attainment percentage of harvest quotas by management group. 33

Appendices

Appendix A. Annual landing caps, harvest caps, and harvest guidelines: 2004-2024. 34
Appendix B. History of bimonthly period limits: 2004-2023. 35
Appendix C. Nearshore species commercial length and weight samples. 46
Appendix D. 2025 nearshore species commercial length and weight samples by port group. 52
Appendix E. 2025 nearshore species commercial length and weight samples by gear. 57

Introduction

This document updates the 2024 Commercial Nearshore Fishery Data Update (Vestfals and Ruzzi 2024) with data and management details through 2025. Detailed narratives and summaries from previous years can be found on the Oregon Department of Fish and Wildlife's (ODFW) *Marine Resource Publications* page. This report also meets the requirement of *ORS 508.953*, established by the Oregon Legislature in 2003 as part of the commercial nearshore fishery management system, to annually summarize logbook data for a report to the Oregon Fish and Wildlife Commission (Commission).

Oregon's nearshore waters support a limited-entry commercial fishery that targets rocky reef-associated groundfish species (Table 1). Data from the 2025 commercial nearshore fishery are summarized here, including harvest specifications, fishing effort, landed poundage, nominal ex-vessel value, fishery-dependent biological data, and logbook data. A brief description of 2025 fishery management actions is also included. Several ports have only a few participating vessels and to maintain individual confidentiality, data are grouped as follows: Astoria and Garibaldi are combined into the Garibaldi port group; Pacific City and Salmon River are combined into the Pacific City port group; Depoe Bay and Newport are combined into the Newport port group; and Florence, Winchester Bay, Charleston, and Bandon are combined into the Bandon port group. Since fishers sometimes use more than one gear type during a fishing trip, landings are summarized by the primary gear used during the trip that is recorded on Oregon commercial fish receiving tickets (fish tickets).

A Black/Blue Rockfish Limited Entry Permit (Black/Blue Permit) is required to participate in Oregon's commercial nearshore fishery. The basic permit allows for the harvest of Black Rockfish, and Blue and Deacon Rockfish in amounts up to the bimonthly limits set by the Commission for those management groups (Table 1), while allowing for only incidental harvest of the daily trip limit of 15 pounds per day of all other Nearshore Fish species combined. Many Black/Blue permits have a Nearshore Endorsement (Black/Blue/Nearshore Permit), which also allows for the harvest of Other Nearshore Rockfish, Greenling, and Cabezon up to the maximum bimonthly limits. The Nearshore Endorsement is also required to catch the federal monthly landing limit of tiger and vermilion rockfishes, both of which are on Oregon's Nearshore Fish species list. Permits must be renewed annually, and renewals require a minimum of five commercial fish landings of any species during the prior year.

All permit holders must complete and submit ODFW-issued commercial nearshore logbooks with detailed information on effort (e.g., time fished, number of hooks used), location, and estimated catch and discard. Non-permitted vessels that catch groundfish with hook and line gear (for example, targeting lingcod or other species not covered by the Black/Blue/Nearshore Permit) are also required to complete and submit logbooks.

Fishery Management and Harvest Specification Updates

Fishery managers from ODFW set specific management goals at the outset of each year to maintain a sustainable fishery from both a natural resource and a socio-economic perspective. Commercial fishers and other interested parties can provide input on these management goals at a series of public meetings held by ODFW each fall, or they can provide testimony directly to the Commission when regulations are adopted. Largely based on public input, the primary goal for 2025 was to provide fishing opportunities throughout the calendar year without exceeding state annual commercial harvest guidelines (HGs) or allowable impacts to yelloweye rockfish *(Sebastes ruberrimus)*, a stock that was still rebuilding in 2025 after being declared overfished in 2002.

Commercial HGs are not quotas but are harvest limit regulations that serve to control fleetwide impacts to the fishery. Harvest guidelines are implemented in Oregon regulations to manage species or species groups with federal Annual Catch Limits (ACLs), harvest allocations derived from stock assessments, without exceeding those limits. Harvest guidelines differ from harvest caps and landing caps implemented in historical regulations in that attainment of a cap results in fishery shutdown. The attainment of a HG does not necessarily cap fishery impacts. Harvest guidelines are established in state rule through the Commission process by splitting ACLs among Oregon's commercial and recreational sectors based on historical catch.

For 2025, the state adopted individual commercial HGs for each of the Black Rockfish, Blue and Deacon Rockfish, Other Nearshore Rockfish, Greenling, and Cabezon management groups. Commercial HG amounts for 2025 are listed in Table 2, with fishery HGs and landing or harvest caps from 2024 and prior years listed in Appendices A and B. There is no HG for Other Nearshore Species. For most species, ACLs are adjusted every two years. These adjustments result from new or updated stock assessments, harvest control rules that automatically reduce harvest rates as a stock is fished down, and reductions due to scientific uncertainty, which increases with the age (staleness) of an assessment.

The state commercial HG for Black Rockfish in 2025 decreased to 82.4 metric tons (mt), a decrease of 40.5 (mt) from 2024, due to implementation of the 2023 Oregon black rockfish stock assessment. While the assessment found the stock was not overfished, it estimated a smaller stock size than the prior assessment leading to the steep HG reduction. Black rockfish is the main target species for many commercial nearshore vessels, especially those that hold permits without a Nearshore Endorsement, so this reduction had a significant impact on the fishery. For 2025, the Blue and Deacon Rockfish HG was set at 14.8 mt, down 2.6% from 15.2 mt in 2024, the HG for Other Nearshore Rockfish decreased by 4.3%, from 16.1 mt to 15.4 mt, the HG for Greenling decreased by 1.8%, from 98.4 mt to 96.6 mt, while the HG for Cabezon decreased by 1.9% from 31.6 to 31.0 mt. The minor reductions across all management groups except Black Rockfish were expected due to a combination of staleness, which increases uncertainty, and fishing down the biomass to target levels. Retention of Quillback rockfish, one species within the Other Nearshore Rockfish management group, has been prohibited in both sport and commercial non-trawl fisheries since 2022. This followed an assessment (Langseth et al. 2021)

which found that while the stock was healthy, the biomass was too small to sustainably support more than discard mortality from incidental catch. In 2021, the Commission also suspended per-trip limits for Black Rockfish Management Areas (BRMAs) (Figure 1) from 2022 through 2025 to evaluate impacts. Discard mortality for the commercial nearshore fishery was quantified by the Federal West Coast Groundfish Observer Program (WCGOP) and summarized in National Oceanic and Atmospheric Administration Fisheries annual reports until December 31, 2024. At that time, WCGOP stopped observing aboard vessels participating in state managed fisheries that take groundfish incidentally, such as pink shrimp, and vessels fishing only in state waters even if targeting groundfish, which applies to many commercial nearshore trips. Currently, discard mortality for these fisheries is estimated from the most recent WCGOP data available.

ODFW implements six bimonthly periods (Table 3) for which limits for the five species management groups are set for individual permitted vessels (Table 4; Figures 2 - 6; Appendix B). Bimonthly limits apply to permitted vessels for each period to regulate landings of commercial harvest relative to HGs across the calendar year. They are intended to balance the trade-off between early HG attainment resulting in limit reductions or even fishery closure with providing year-round fishery access. Limits can be adjusted up or down, in-season, to allow greater opportunity for reaching HGs or to slow harvest to stay below allocations. Public input regarding bimonthly limits and other management measures for 2025 was sought at the annual commercial nearshore fishery public meetings held in September 2024 and at the December 2024 Commission meeting. Based on both meeting input and recommendations from ODFW, the Commission adopted annual HGs, bimonthly limits, and other fishery regulations for 2025 at the December 2024 Commission meeting.

The bimonthly limits put into effect at the outset of 2025 were intended to require few or no in-season changes and provide predictable allocations, season lengths, and market supply. Initial limits for Black Rockfish in 2025 were set at 1,200 pounds for Periods 1,2,5 and 6 and 1,600 pounds for Periods 4 and 5. (Table 4). These limits were a 33% reduction from 2024 for periods 1, 3, 4, and 6, and a 43% reduction for periods 2 and 5, which projections indicated would likely still exceed the reduced HG. However, effort was low in the second half of 2025, and no changes were made during the season. Limits for Blue and Deacon Rockfish were set at 1,500 pounds, Other Nearshore Rockfish at 450 pounds, Greenling at 1,200 pounds, and Cabezon at 1,500 pounds per period for 2025. By mid-summer 2025, projections for Other Nearshore Rockfish, Greenling, and Cabezon indicated landings would be well below their respective HGs at the end of the year, so limits were increased for Periods 4, 5, and 6 (Table 5). Other Nearshore Rockfish limits were raised by 200 pounds (44%) from 450 pounds to 650 pounds per period. Greenling limits were raised by 800 pounds (67%), from 1,200 pounds to 2,000 pounds per period. Cabezon limits were increased by 1,000 pounds (67%) from 1,500 pounds to 2,500 pounds per period. These increases were intended to allow additional opportunity to attain a larger portion of the state Other Nearshore Rockfish, Greenling, and Cabezon HGs.

Fishery Effort and Logbook Compliance

In 2025, 107 Black/Blue Permits were issued, 67 of which had a Nearshore Endorsement. Two Black/Blue Permits and one Black/Blue/Nearshore Permit were not renewed from 2024, a loss of three permits, unless any are reinstated through the Commercial Fishery Permit Review Board appeals process. Landings of nearshore species were made by 91 permits, (58 nearshore-endorsed), for 85% permit participation. Fishing effort by these vessels totaled 1,727 fishing days. A total of 63 non-permitted vessels made hook-and-line groundfish landings over 530 boat-days.

The total number of trips requiring nearshore logbook submissions was 2,330, which represented 574,724 pounds of fish landed, excluding troll gear. Logbooks were received for 2,211 of those trips, for a compliance rate of 95%, an increase from 2024 (89%)(Table 7). ODFW staff worked collaboratively with the Oregon State Police to identify and address compliance issues with individual permit holders.

End of the year attainment of the state HGs for 2025, not including discard mortality, was 94% for Black Rockfish, 105% for Blue and Deacon Rockfish, 49% for Other Nearshore Rockfish, 13% for Greenling, and 59% for Cabezon (Table 10).

China, Copper, and Quillback Rockfish Biological Samples

Observations worth noting from commercial fishery biological samples from 2024 and prior are the significant drops and declining trends in average sizes of the main Other Nearshore Rockfish species. From 2019 to 2020, the average China rockfish length decreased by half an inch and this lower average has persisted ever since. In 2024, length increased slightly from that in 2023, which was the minimum average length (12.8 cm) observed over the entire record. Similarly, there was a gradual decline in average weight from 2016 to 2020, although this trend appears to have leveled off in 2021 and 2022. Again, 2024 saw a slight increase in weight from 2023, which had the second lowest average weight (1.75 lbs) for China rockfish over the time series. The decline in China rockfish size has been loosely mirrored in quillback rockfish length and weight trends, although average weight in 2024 was slightly lower than in 2023. Copper rockfish average length and weight gradually increased from 2017 through 2020 before declining slightly in 2021 and more sharply in 2022. The average length and weight of copper rockfish both increased in 2024. For all three species, average lengths and weights in 2024 were at the lower end of the historical range of these values (Appendix C).

While the cause of these patterns is unclear, it is possible that either environmental or harvest related factors, or a combination of both, are driving these observed declines. An increase in the number of younger and smaller fish entering the fishery due to above average recruitment may also be driving length and weight distributions smaller. Conversely, it is possible that older fish are becoming smaller and lighter, influenced by environmental drivers such as food availability altered by warm water conditions that have occurred frequently in the northeastern Pacific since 2015. Alternatively, harvest patterns across space and time or by gear type may be hyper stable, changing stock size distributions while masking depletion concerns. Sampling patterns will be

evaluated to determine if these patterns are driven by variability in the proportion of samples taken by gear type (longline vs. hook and line). Quillback rockfish and copper rockfish underwent separate data-moderate assessments in 2021 (Langseth et al. 2021 and Wetzel et al. 2021, respectively). Given that retention of quillback rockfish has been prohibited in the non-trawl fishery since late 2021, data from other fisheries or fishery-independent surveys will be required to determine biological trends. Indeed, the quillback rockfish biological data presented in this report were obtained from the trawl fishery, coming exclusively from the Garibaldi port group. ODFW will continue to monitor these species, evaluate the available data, consider regulation adjustments, and support ongoing stock assessment efforts.

Acknowledgements

We thank Troy Buell for review and thoughtful suggestions for improving this document. Nadine Hurtado ensured all fish ticket landings data were accurate and up to date. Port biologists and samplers spent long hours in the field collecting biological samples and logbook pages. In addition, appreciation goes out to all the nearshore fishers for their efforts in the commercial nearshore fishery and for providing quality logbook data.

References

Langseth, B.J., Wetzel, C.R., Cope, J.M., and Budrick, J.E. 2021. Status of quillback rockfish (*Sebastes maliger*) in U.S. Waters off the coast of Oregon in 2021 using catch and length data. Pacific Fishery Management Council, Portland, OR. Available from: *https://www.pcouncil.org/documents/2021/12/status-of-quillback-rockfish-sebastes-maliger-in-u-s-waters-off-the-coast-of-oregon-in-2021-using-catch-and-length-data-december-2021.pdf*

Vestfals, C.D., and Ruzzi, S.P. 2025. The Oregon Commercial Nearshore Fishery Data Update: 2024 (pdf). Oregon Department of Fish and Wildlife Marine Resources Program. 60 pp. Available from: *https://nrimp.dfw.state.or.us/DataClearinghouse/default.aspx?pn=ViewFile&att=ODFW%2fODFW_42939_2_Vestfals.2025.+2024+Oregon+Commercial+Nearshore+Fishery+Data_2.pdf*

Tables

Table 1. Fish species on Oregon's nearshore species list, including the state management group under which each is managed.

Management Group	Common Name	Scientific Name
Black Rockfish	Black rockfish	*Sebastes melanops*
Blue & Deacon Rockfish	Blue rockfish	*Sebastes mystinus*
	Deacon rockfish	*Sebastes diaconus*
Other Nearshore Rockfish	Kelp rockfish	*Sebastes atrovirens*
	Brown rockfish	*Sebastes auriculatus*
	Gopher rockfish	*Sebastes carnatus*
	Copper rockfish	*Sebastes caurinus*
	Black & yellow rockfish	*Sebastes chrysomelas*
	Calico rockfish	*Sebastes dalli*
	Quillback rockfish	*Sebastes maliger*
	China rockfish	*Sebastes nebulosus*
	Grass rockfish	*Sebastes rastrelliger*
	Olive rockfish	*Sebastes serranoides*
	Treefish	*Sebastes serriceps*
Greenling	Kelp greenling	*Hexagrammos decagrammus*
	Rock greenling	*Hexagrammos lagocephalus*
	Whitespotted greenling	*Hexagrammos steleri*
	Painted greenling	*Oxylebius pictus*
Cabezon	Cabezon	*Scorpaneichthys marmoratus*
Other Nearshore Species	Buffalo sculpin	*Enophrys bison*
	Red Irish lord	*Hemilepiodotus hemilepiotus*
	Brown Irish lord	*Hemilepiodotus spinosus*
Federal Shelf rockfish	Vermilion rockfish	*Sebastes minatus*
	Tiger rockfish	*Sebastes nigrocinctus*

Table 2. Harvest guidelines (mt) for state management groups for 2025.

Year	Black Rockfish	Blue & Deacon Rockfish	Other Nearshore Rockfish	Greenling	Cabezon	Other Nearshore Species
2025	82.4	14.8	15.4	96.6	31.0	N/A

Table 3. Bimonthly cumulative period durations.

Period	Duration
1	January - February
2	March - April
3	May - June
4	July - August
5	September - October
6	November - December

Table 4. Bimonthly limits from commercial nearshore state management groups at the outset of 2025. In-season limit changes with realized limits are depicted in italics.

Management Group	Period(s)	2025 Outset Limit - pounds *(in-season change)*
Black Rockfish	1	1,200
	2	1,200
	3	1,600
	4	1,600
	5	1,200
	6	1,200
Blue & Deacon Rockfish	1 - 6	1,500
Other Nearshore Rockfish	1 - 4	450
	Jul 5	*650*
	5 - 6	450 *(650)*
Greenling	1 - 4	1,200
	Jul 5	*2,000*
	5 - 6	1,200 *(2,000)*
Cabezon	1 - 4	1,500
	Jul 5	*2,500*
	5 - 6	1,500 *(2,500)*

Management Group	Period(s)	2025 Outset Limit - pounds *(in-season change)*

Table 5. Summary of 2025 length samples (inches) from the Oregon commercial nearshore fishery.

Species	Sample Size	Average	Range	95% CI (±)
Black rockfish	3,497	15.3	9.1 - 21.7	0.1
Blue rockfish	449	13.6	10.6 - 16.9	0.1
Cabezon	590	19.7	15 - 28	0.2
China rockfish	876	12.8	11 - 16.5	0.1
Copper rockfish	66	16.5	12.2 - 20.5	0.4
Deacon rockfish	990	13.7	9.8 - 17.7	0.1
Gopher rockfish	50	12.3	11.4 - 14.6	0.2
Grass rockfish	4	15.5	14.6 - 16.1	0.7
Kelp greenling	1,434	14.1	11.4 - 17.7	0.1
Quillback rockfish	22	14.8	13 - 17.7	0.5
Tiger rockfish	19	17.0	15 - 18.5	0.5
Vermilion rockfish	112	18.6	13.8 - 24.4	0.4

Table 6. Summary of 2025 weight samples (pounds) from the Oregon commercial nearshore fishery.

Species	Sample Size	Average	Range	95% CI (±)
Black rockfish	3,497	2.3	0.4 - 6.3	0.0
Blue rockfish	449	1.9	0.8 - 3.6	0.0
Cabezon	590	5.3	2.1 - 14.7	0.2
China rockfish	876	1.7	1 - 3.9	0.0
Copper rockfish	66	3.5	1.4 - 6.5	0.3
Deacon rockfish	990	1.8	0.7 - 3.5	0.0
Gopher rockfish	50	1.6	1.2 - 2.3	0.1
Grass rockfish	4	2.7	2.4 - 3	0.2
Kelp greenling	1,434	1.5	0.4 - 9	0.0
Quillback rockfish	22	2.3	1.7 - 4.5	0.3
Tiger rockfish	19	3.8	2.4 - 5.1	0.4
Vermilion rockfish	112	5.0	1.7 - 11.5	0.4

Table 7. 2025 logbook program compliance by port group including open access lingcod trip logs.

Port	Trips Fished	Trips with no Log	Compliance (%)
Garibaldi group	186	3	98.4
Pacific City group	117	1	99.1
Newport group	508	6	98.8
Bandon group	172	3	98.3
Port Orford	905	87	90.4
Gold Beach	359	19	94.7
Brookings	83	0	100.0
Total	2,330	119	94.9

Table 8. Summary of commercial nearshore logbook reported released (Rel.) and retained (Ret.) fish (in pounds) by species and period in 2025. Rockfish is abbreviated as RF.

	Period 1		Period 2		Period 3		Period 4		Period 5		Period 6		Annual Totals	
Species	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**
Black & Yellow RF	0	0	0	16	1	9	0	9	1	5	0	5	2	44
Black RF	349	12,392	642	23,987	1,345	47,061	2,069	40,385	208	21,190	174	15,493	4,787	160,508
Blue RF	351	2,603	332	4,850	242	6,313	297	8,033	278	6,829	232	4,866	1,732	33,494
Bocaccio	0	0	0	0	0	0	0	4	0	0	0	0	0	4
Brown RF	0	4	0	11	0	42	0	30	0	0	0	10	0	97
Buffalo Sculpin	0	0	0	0	0	2	0	2	0	0	0	0	0	4
Cabezon	527	3,975	317	3,113	273	5,615	287	6,413	131	4,095	262	3,729	1,797	26,940
Canary RF	6	896	10	535	11	708	3	577	43	575	83	224	156	3,515
China RF	350	1,845	403	1,532	489	2,612	432	3,272	359	2,359	308	1,767	2,341	13,387
Chinook Salmon	0	0	0	0	0	0	0	23	0	0	0	0	0	23
Coho Salmon	0	0	0	0	0	0	24	0	0	0	0	0	24	0
Copper RF	0	358	0	281	23	475	0	327	0	406	8	188	31	2,035
Deacon RF	0	0	0	0	6	0	0	0	0	0	60	165	66	165
Giant Pacific Octopus	0	19	0	0	0	0	0	0	0	0	0	0	0	19
Gopher RF	1	57	12	152	2	92	2	133	14	26	5	57	36	517
Grass RF	0	2	0	2	0	3	0	33	0	12	0	17	0	69
Greenlings	0	0	0	5	0	0	0	0	0	0	0	0	0	5
Kelp Greenling	202	3,634	304	5,768	285	9,249	425	11,893	346	4,020	287	4,199	1,849	38,763
Lingcod	2,023	49,244	1,980	36,534	2,232	34,800	2,349	41,128	1,428	27,046	2,391	52,886	12,403	241,638
P. Ocean Perch	0	0	0	0	0	0	0	3	0	1	0	0	0	4

Table 8. continued

	Period 1		Period 2		Period 3		Period 4		Period 5		Period 6		Annual Totals	
Species	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**	**Rel.**	**Ret.**
Pacific Halibut	0	0	0	0	0	0	95	0	50	0	0	0	145	0
Petrale Sole	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Quillback RF	145	2	308	4	194	29	170	19	351	0	184	29	1,352	83
Red Irish Lord	0	0	0	2	0	8	0	10	0	4	0	0	0	24
Rosy RF	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Sand Sole	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Sculpins	0	2	0	0	0	0	0	0	0	0	0	0	0	2
Skates	0	0	0	5	0	8	0	10	0	0	0	0	0	23
Speckled RF	0	0	0	0	0	182	0	0	0	0	0	0	0	182
Spiny Dogfish Shark	0	0	0	0	0	0	0	13	0	0	0	0	0	13
Spotted Ratfish	0	0	0	0	0	0	0	46	0	0	0	0	0	46
Starry Flounder	0	0	0	3	0	0	0	0	0	0	0	0	0	3
Tiger RF	0	56	0	17	0	34	0	86	0	58	5	38	5	289
Vermilion RF	0	619	0	496	0	605	0	433	40	584	0	277	40	3,014
Widow RF	0	24	0	0	0	0	0	24	0	0	0	0	0	48
Wolf-Eel	0	0	0	5	6	22	0	48	0	14	0	27	6	116
Yelloweye RF	92	0	148	0	142	0	118	0	653	0	234	0	1,387	0
Yellowtail RF	14	371	15	109	41	369	33	227	36	200	35	232	174	1,508
Period Total	**4,060**	**76,103**	**4,471**	**77,429**	**5,292**	**108,238**	**6,304**	**113,181**	**3,938**	**67,424**	**4,268**	**84,210**	**28,333**	**526,585**

Table 9. Total pounds landed, total value, and average prices of live and fresh fish by species in 2025. Rockfish is abbreviated in species names as RF.

Species	Live lbs	Fresh lbs	Live Value ($)	Fresh Value $	Avg Live Price $	Avg Fresh Price $
Black RF	92,376	78,367	291,283.30	159,530.35	3.15	2.04
Blue RF	6,549	27,623	14,802.25	51,825.04	2.26	1.88
Cabezon	25,026	2,405	117,862.50	5,282.55	4.71	2.20
Greenling	39,180	888	232,218.75	1,358.46	5.93	1.53
Black & yellow RF	47	NA	341.50	NA	7.27	NA
Brown RF	10	156	55.00	199.45	5.50	1.28
China RF	11,603	2,003	81,891.80	3,197.95	7.06	1.60
Copper RF	1,414	751	6,371.50	1,393.70	4.51	1.86
Gopher RF	409	65	2,769.00	107.55	6.77	1.65
Grass RF	66	NA	475.50	NA	7.20	NA
Kelp RF	NA	18	NA	28.00	NA	1.56
Quillback RF	NA	75	NA	43.00	NA	0.57
Brown Irish lord	NA	5	NA	0.00	NA	0.00
Buffalo sculpin	4	NA	18.00	NA	4.50	NA
Red Irish lord	24	NA	94.50	NA	3.94	NA
Tiger RF	215	158	1,131.00	261.55	5.26	1.66
Vermilion RF	1,384	2,111	7,774.75	3,629.05	5.62	1.72
Total	**178,307**	**114,625**	**757,089.35**	**226,856.65**	**5.26**	**1.50**

Table 10. Number of trips landing nearshore species and landings in pounds for state management groups by bimonthly period with 2025 attainment.

Period	Trip Count	Black Rockfish	Blue & Deacon Rockfish	Other Nearshore Rockfish	Greenling	Cabezon	Other Nearshore Species
1	232	13,279	2,750	2,336	3,669	4,123	765
2	283	24,078	4,871	1,994	5,952	3,347	602
3	459	51,711	5,651	3,387	9,622	5,862	752
4	435	41,678	8,185	3,943	12,095	6,321	603
5	278	22,493	6,721	2,738	4,203	4,257	751
6	301	17,504	5,994	2,219	4,527	3,521	428
Total	1,988	170,743	34,172	16,617	40,068	27,431	3,901
Attainment (%)		94.0	104.7	48.9	12.9	58.6	N/A

Figures




Figure 1. Black Rockfish Management Areas (BRMAs) off Oregon. In 2022, per-trip limits for BRMAs were suspended, allowing vessels with a Black/Blue Rockfish Permit to land up to the 2-month period limit on a single trip regardless of whether any fishing any fish occurred in a BMRA.




Figure 2. Black Rockfish bimonthly limit history. Prior to 2015 this limit was a combined Black//Blue/Deacon Rockfish limit.




Figure 3. Blue and Deacon Rockfish bimonthly limit history. Prior to 2015 this limit was a combined Black/Blue/Deacon Rockfish limit.




Figure 4. Other Nearshore Rockfish bimonthly limit history.




Figure 5. Greenling bimonthly limit history.




Figure 6. Cabezon bimonthly limit history.




Figure 7. 2025 Commercial nearshore Black/Blue Rockfish permits by port group.




Figure 8. History of commercial nearshore Black/Blue Rockfish permits.




Figure 9. Commercial nearshore fishery effort (day trip) by year and gear type.




Figure 10. Commercial nearshore landings (pounds) by year and species management group.




Figure 11. Commercial nearshore landings ex-vessel value ($) by year and species management group.




Figure 12. Commercial nearshore landings (pounds) by year and gear type.




Figure 13. Commercial nearshore landings (pounds) by year and bimonthly period.




Figure 14. Commercial nearshore landings (pounds) by year and market condition.




Figure 15. Commercial nearshore landings (pounds) by year and port group.




Figure 16. Average pounds landed per trip for all nearshore species combined by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 17. Black Rockfish landings (pounds) by year and gear type.




Figure 18. Black Rockfish landings (pounds) by year and port group.




Figure 19. Black Rockfish landings (pounds) by year and bimonthly period.




Figure 20. Black Rockfish landings (pounds) by year and market condition.




Figure 21. Black Rockfish ex-vessel value ($) by year.




Figure 22. Average pounds landed per trip for Black Rockfish by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 23. Black Rockfish average ex-vessel price per pound by year and market condition.




Figure 24. Blue and Deacon Rockfish landing (pounds) by year and gear type.




Figure 25. Blue and Deacon Rockfish landings (pounds) by year and port group.




Figure 26. Blue and Deacon Rockfish landings (pounds) by year and bimonthly period.




Figure 27. Blue and Deacon Rockfish landings (pounds) by year and market condition.




Figure 28. Blue and Deacon Rockfish ex-vessel value ($) by year.




Figure 29. Average pounds landed per trip for Blue and Deacon Rockfish by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 30. Blue and Deacon Rockfish average ex-vessel price per pound by year and market condition.




Figure 31. Other Nearshore Rockfish landings (pounds) by year and species group. Fishes landed in this management group prior to 2008 were unsorted.




Figure 32. Other Nearshore Rockfish landings (pounds) by year and gear type.




Figure 33. Other Nearshore Rockfish landings (pounds) by year and port group.




Figure 34. Other Nearshore Rockfish landings (pounds) by year and bimonthly period.




Figure 35. Other Nearshore Rockfish landings (pounds) by year and market condition




Figure 36. Other Nearshore Rockfish (ONR) ex-vessel value ($) by year. Fishes landed in this management group prior to 2008 were unsorted.




Figure 37. Average pounds landed per trip for Other Nearshore Rockfish by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 38. Other Nearshore Rockfish average ex-vessel price per pound by year and market condition.




Figure 39. Greenling landings (pounds) by year and gear type.




Figure 40. Greenling landings (pounds) by year and port group.




Figure 41. Greenling landings (pounds) by year and bimonthly period.




Figure 42. Greenling landings (pounds) by year and market condition.




Figure 43. Greenling ex-vessel value ($) by year.




Figure 44. Average pounds landed per trip for Greenling by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 45. Greenling average ex-vessel price per pound by year and market condition.




Figure 46. Cabezon landings (pounds) by year and gear type.




Figure 47. Cabezon landings (pounds) by year and port group.




Figure 48. Cabezon landings by period.




Figure 49. Cabezon landings (pounds) by year and condition.




Figure 50. Cabezon ex-vessel value ($) by year.





Figure 51. Average pounds landed per trip for Cabezon by year, gear type, and market condition.



Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 52. Cabezon average ex-vessel price per pound by year and market condition.




Figure 53. Other Nearshore Species landings (pounds) by year and species group. RF: Rockfish




Figure 54. Other Nearshore Species landings (pounds) by year and gear type.




Figure 55. Other Nearshore Species landings (pounds) by port group.




Figure 56. Other Nearshore Species landings (pounds) by year and bimonthly period.




Figure 57. Other Nearshore Species landings (pounds) by year and condition.




Figure 58. Other Nearshore Species ex-vessel value ($) by year.




Figure 59. Average pounds landed per trip for Other Nearshore Species by year, gear type, and market condition. Bubble size is weighted by the percentage of pounds landed by each sector.




Figure 60. Other Nearshore Species average ex-vessel price per pound by year and market condition.




Figure 61. Percent attainment of harvest quota (landing caps or harvest guidelines) by management group through time. Percentages represent total pounds landed divided by values found in Table 2 and Appendix A.

Appendices

Appendix A. Annual landing caps, harvest caps, and harvest guidelines (HGs) for state management groups for 2004-2024. Where applicable, harvest caps are indicated in footnotes. Harvest guidelines replaced landing and harvest caps beginning in 2015. 2019 was the first year for a Blue and Deacon Rockfish only HG.

Year	Black & Blue Rockfish	Other Nearshore Rockfish	Cabezon	Greenling	Other Nearshore Species
2004	111.9 (108.0)[1]	16.0[2]	31.3	23.4	N/A
2005	108.7 (104.8)[1]	13.5[2]	31.3	23.4	N/A
2006	106.5 (102.5)[1]	13.5[2]	31.3	23.4	N/A
2007[3]	104.6 (100.6)[1]	12.0	31.3	23.4	N/A
2008	104.6 (100.6)[1]	12.0	31.3	23.4	N/A
2009	141.9 (137.9)[1,4]	14.3	31.3	23.4	N/A
2010	141.9 (137.9)[1,4]	14.3	31.3	23.4	N/A
2011	141.9 (137.9)[1,4]	14.3	31.3	23.4	N/A
2012	141.9 (137.9)[1,4]	14.3	30.5[5]	23.4	N/A
2013	141.9 (137.9)[1,4]	14.3	30.0[6]	23.4	N/A
2014	141.9 (137.9)[1,4]	14.3	30.0[6]	23.4	N/A

[1]Values in parentheses are landing caps for Black Rockfish, alone.
[2]Includes vermilion and tiger rockfishes.
[3]First year both harvest caps and landing caps were implemented.
[4]Harvest cap of 139.2 mt for Black Rockfish, alone.
[5]Harvest cap of 30.8 mt.
[6]Harvest cap of 30.2 mt.

Year	Black Rockfish	Blue, Deacon & Other Nearshore Rockfish, combined	Cabezon	Greenling	Other Nearshore Species
2015	139.2	10.4	30.2	23.4	N/A
2016	139.2	10.4	30.2	23.4	N/A
2017	126.3	13.0	30.2	169.9	N/A
2018	124.8	12.9	30.2	144.3	N/A

Year	Black Rockfish	Blue & Deacon Rockfish	Other Nearshore Rockfish	Cabezon	Greenling	Other Nearshore Species
2019	123.8	18.9	12.3	30.2	128.5	N/A
2020	122.9	18.3	12.2	30.2	118.3	N/A
2021	122.9	16.8	11.3	35.0	108.1	N/A
2022	122.9	16.3	11.1	33.5	103.8	N/A
2023	122.9	15.2	16.1	31.7	98.4	N/A
2024	122.9	15.2	16.1	31.6	98.4	N/A

Appendix B. History of bimonthly limits (pounds) set by the Oregon Fish and Wildlife Commission and implemented by the Oregon Department of Fish and Wildlife for the commercial nearshore fishery. Initial season limits set for each period at the beginning of the year are in normal text without parentheses. In-season changes effective for each period are dated with amended limits in parentheses. Dates with multiple increases listed on a single day indicate the bimonthly limit was increased multiple times throughout the year with the same effective date. The last entry in the table for that date is the final limit for the period. A dash indicates no change. RF = Rockfish.

Table B1. 2024 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,800	1,500	450	1,500	1,200
Period 2	2,100	1,500	450	1,500	1,200
Period 3	2,400	1,500	450	1,500	1,200
Period 4	2,400	1,500	450	1,500	1,200
Jul 5	(2,700)	-	(650)	(2,500)	(2,000)
Period 5	2,100	1,500	450	1,500	1,200
Sep 1	(2,700)	-	(650)	(2,500)	(2,000)
Period 6	1,800	1,500	450	1,500	1,200
Nov 1	(2,700)	-	(650)	(2,500)	(2,000)

Table B2. 2023 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,800	1,500	450	1,500	1,000
Period 2	1,800	1,500	450	1,500	1,000
Period 3	2,400	1,500	450	1,500	1,000
Period 4	2,400	1,500	450	1,500	1,000
Jul 5	(2,700)	-	(650)	(2,500)	(1,200)
Period 5	1,800	1,500	450	1,500	1,000
Sep 1	(2,700)	-	(650)	(2,500)	(1,200)
Period 6	1,800	1,500	450	1,500	1,000
Nov 1	(2,700)	-	(650)	(2,500)	(1,200)

Table B3. 2022 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,800	1,500	350	1,500	1,000
Period 2	1,800	1,500	350	1,500	1,000
Period 3	2,400	1,500	350	1,500	1,000
Period 4	2,400	1,500	350	1,500	1,000
Period 5	1,800	1,500	350	1,500	1,000
Sep 1	-	-	-	(2,500)	(1,200)
Period 6	1,800	1,500	350	1,500	1,000
Nov 1	-	-	-	(2,500)	(1,200)
Dec 1	(200)	-	-	-	-

Table B4. 2021 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,500	1,500	350	1,500	1,000
Period 2	1,800	1,500	350	1,500	1,000
Period 3	2,100	1,500	350	1,500	1,000
Period 4	2,100	1,500	350	1,500	1,000
Period 5	1,800	1,500	350	1,500	1,000
Aug 27	-	-	(450)	-	-
Sep 1	(2,700)	-	(450)	(2,000)	-
Period 6	1,500	1,500	350	1,500	1,000
Nov 1	(2,700)	-	(450)	(2,000)	-

Table B5. 2020 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,500	1,500	450	1,000	1,000
Period 2	1,500	1,500	450	1,000	1,000
Period 3	1,800	1,500	450	1,000	1,000
Period 4	1,800	1,500	450	1,000	1,000
Jul 5	(2,400)	-	-	-	-
Period 5	1,500	1,500	450	1,000	1,000
Sep 1	(2,100)	-	-	-	-
Sep 1	(2,700)	-	-	(2,000)	-
Oct 23	-	-	(15/day; 450/period)	-	-
Period 6	1,500	1,500	450	1,000	1,000
Nov 1	(2,100)	-	-	-	-
Nov 1	(2,700)	-	(15/day; 45/period)	(2,000)	-

Table B6. 2019 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,500	1,500	450	1,000	1,000
Period 2	1,500	1,500	450	1,000	1,000
Period 3	1,800	1,500	450	1,000	1,000
Period 4	1,800	1,500	450	1,000	1,000
Jul 5	(2,400)	-	(600)	-	-
Period 5	1,500	1,500	450	1,000	1,000
Sep 1	(2,100)	-	(600)	-	-
Period 6	1,500	1,500	450	1,000	1,000
Nov 1	(2,100)	-	(600)	-	-
Dec 12	-	-	-	(30/day; 1,000/period)	-

Table B7. 2018 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,500	300	450	2,000	800
Period 2	1,500	300	450	2,000	800
Period 3	1,800	300	450	2,500	800
May 1	(1,500)	(100)	(250)	(1,500)	-
Period 4	1,800	300	450	2,500	800
Jul 5	(2,400)	(100)	(250)	(500)	-
Period 5	1,500	300	450	2,500	800
Sep 1	(2,100)	(100)	(250)	(500)	-
Oct 5	-	-	-	(15/day; 500/period)	-
Period 6	1,500	300	450	2,000	800
Nov 1	(2,100)	(100)	(250)	(15/day; 45/period)	-

Table B8. 2017 bimonthly limits (pounds).

Period	Black RF	Blue/Deacon RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,200	300	450	2,000	600
Period 2	1,500	300	450	2,000	600
Period 3	1,800	300	450	2,000	600
Period 4	1,800	300	450	2,000	600
Jul 5	(2,400)	-	-	-	-
Period 5	1,500	300	450	2,000	600
Sep 1	(2,100)	-	-	-	-
Period 6	1,200	300	450	2,000	600
Nov 1	(1,800)	-	-	-	-

Table B9. 2016 bimonthly limits (pounds).

Period	Black RF	Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,200	30	200	1,500	400
Period 2	1,400	30	200	1,500	400
Period 3	1,700	30	200	1,500	400
Period 4	1,600	30	200	1,500	400
Jul 5	(2,400)	(50)	(350)	-	(600)
Period 5	1,400	30	200	1,500	400
Sep 1	(2,200)	(50)	(350)	-	(600)
Sep 15	-	(150)	(450)	(2,000)	(800)
Period 6	1,000	30	200	1,500	400
Nov 1	(1,800)	(150)	(450)	(2,000)	(800)

[1] Due to a delay in adopting 2016 regulations, limits reverted to those in place at the outset of 2015 for Jan 1-18, 2016.

Table B10. 2015 bimonthly limits (pounds). Blue and Deacon Rockfish had a separate trip limit beginning in 2024.

Period	Black RF	Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,200	15	100	1,500	300
Period 2	1,400	15	100	1,500	300
Period 3	1,700	15	100	1,500	300
Period 4	1,600	15	100	1,500	300
Jul 5	(1,800)	-	-	-	(400)
Period 5	1,400	15	100	1,500	300
Sep 1	(1,600)	(50)	(300)	-	(400)
Period 6	1,000	15	100	1,500	300
Nov 1	(1,200)	(50)	(300)	-	(400)

Table B11. 2014 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,000	700	1,500	300
Period 2	1,200	700	1,500	300
Period 3	1,700	700	1,500	300
Period 4	1,600	700	1,500	300
Aug 1	(2,100)	-	-	-
Period 5	1,200	700	1,500	300
Sep 1	(2,100)	-	-	-
Oct 9	-	-	-	(350)
Period 6	1,000	700	1,500	300
Nov 1	(1,800)	-	-	(350)

Table B12. 2013 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	1,000	700	1,500	300
Period 2	1,200	700	1,500	300
Period 3	1,700	700	1,500	300
Period 4	1,600	700	1,500	300
Period 5	1,200	700	1,500	300
Sep 1	(2,100)	-	(2,000)	-
Period 6	1,000	700	1,500	300
Nov 1	(1,800)	-	(2,000)	-

Table B13. 2012 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	800	700	1,500	250
Period 2	1,000	700	1,500	250
Period 3	1,400	700	1,500	250
Jun 1	(1,800)	-	-	-
Period 4	1,400	700	1,500	250
Jul 1	(1,800)	-	-	-
Period 5	1,000	700	1,500	250
Sep 1	(2,100)	-	-	(400)
Period 6	800	700	1,500	250
Nov 1	(2,100)	-	(100)	(400)

Table B14. 2011 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	800	700	1,500	250
Period 2	1,000	700	1,500	250
Period 3	1,400	700	1,500	250
Period 4	1,400	700	1,500	250
Jul 5	(1,600)	-	-	-
Period 5	1,000	700	1,500	250
Sep 1	(1,200)	-	-	-
Sep 15	(1,400)	-	-	-
Period 6	800	700	1,500	250
Nov 1	(1,000)	-	-	-
Nov 1	(1,200)	-	-	-

Table B15. 2010 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	800	700	1,500	250
Period 2	1,000	700	1,500	250
Period 3	1,400	700	1,500	250
Period 4	1,400	700	1,500	250
Aug 1	(1,600)	-	-	(300)
Period 5	1,000	700	1,500	250
Sep 1	(1,200)	-	(1,600)	(300)
Oct 15	(1,400)	-	(Closed)	(350)
Period 6	800	700	1,500	250
Nov 1	(1,200)	-	(1,600)	(350)

Table B16. 2009 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	800	700	2,500	450
Period 2	1,000	700	2,500	450
Mar 1	-	-	-	(250)
Period 3	1,600	700	2,500	450
May 1	-	-	-	(250)
Period 4	1,600	700	2,500	450
Jul 1	-	-	-	(250)
Jul 1	-	-	(1,250)	(150)
Period 5	1,200	700	2,500	450
Oct 1	-	-	(1,250)	(250)
Oct 10	(15/day; 1,200/month)	-	(Closed)	(150)
Period 6	1,000	700	2,500	450
Nov 1	-	-	-	(250)
Nov 1	(15/day; 400/month)	-	(Closed)	(150)

Table B17. 2008 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	600	700	2,500	450
Period 2	800	700	2,500	450
Period 3	1,600	700	2,500	450
Period 4	1,600	700	2,500	450
Jul 1	(1,200)	-	-	-
Period 5	1,600	700	2,500	450
Oct 1	(1,000)	-	-	-
Oct 2	(15/day; 1,000/month)	-	-	-
Period 6	800	700	2,500	450
Nov 1	(15/day; 200/month)	-	-	-

Table B18. 2007 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF	Cabezon	Greenling
Period 1	600	600	2,000	400
Period 2	800	600	2,000	400
Period 3	1,600	600	2,000	400
Period 4	1,600	600	2,000	400
Period 5	1,600	600	2,000	400
Sep 1	(2,000)	(700)	(4,000)	(800)
Period 6	800	600	2,000	400
Nov 1	(15/day; 800/month)	(700)	(4,000)	(800)
Nov 28	(Closed)	(Closed)	(Closed)	(Closed)

Table B19. 2006 monthly period trip limits (pounds).

Period	Black & Blue RF	Other Nearshore RF[1]	Cabezon	Greenling
January	300	200	1,000	100
February	300	200	1,000	100
March	600	200	1,000	100
April	600	200	1,000	100
May	600	200	1,000	100
June	600	200	1,000	100
July	600	200	1,000	100
Jul 1	(700)	(300)	(1,750)	(200)
August	600	200	1,000	100
Aug 11	(1,400)	(350)	(2,000)	(400)
September	300	200	1,000	100
Sep 1	(1,400)	(350)	(2,000)	(400)
October	300	200	1,000	100
Oct 1	(600)	(350)	(2,000)	(400)
November	250	200	1,000	100
Nov 1	-	(350)	(2,000)	(400)
December	250	200	1,000	100
Dec 1	-	(350)	(2,000)	(400)

[1] Sub-limit of Black & Blue RF; included vermilion and tiger RF

Table B20. 2005 bimonthly limits (pounds).

Period	Black & Blue RF	Other Nearshore RF[1]	Cabezon	Greenling
Period 1	1,000	450	2,000	350
Period 2	1,000	450	2,000	350
Period 3	1,500	450	2,000	350
May 1	-	(325)	-	(225)
Period 4	1,500	450	2,000	350
Aug 1	-	(325)	-	(225)
Aug 4	(700)	-	-	(175)
Period 5	800	450	2,000	350
Sep 1	(700)	(325)	-	(175)
Oct 11	-	(400)	-	-
Period 6	500	450	2,000	350
Nov 1	-	(400)	-	(175)
Dec 1	-	-	-	(275)


[1] Sub-limit of Black & Blue RF; included vermilion and tiger RF


Table B 21. 2004 bimonthly limits (pounds).


Period	Black & Blue RF	Other Nearshore RF[1]	Cabezon	Greenling
Period 1	3,000	900	2,000	350
Period 2	3,000	900	2,000	350
Period 3	3,000	900	2,000	350
Period 4	3,000	900	2,000	350
Jul 27	(1,500)	-	-	(600)
Period 5	3,000	900	2,000	250
Sep 1	(1,500)	-	-	(600)
Sep 27	(Closed)	(100)	-	(Closed)
Period 6	3,000	900	2,000	350
Nov 1	-	(Closed)	-	(Closed)


[1] Sub-limit of Black & Blue RF; included vermilion and tiger RF


Appendix C. Nearshore species commercial length and weight sample averages by year with sample sizes (top) and 95% confidence intervals.















China Rockfish Commercial Length Samples
102 118 138 130 1232 2053 1591 987 701 217 438 723 376 429 528 993 600 687 519 475 472 442 520 828 378 605 1170 1306 1071 876
Average Length (in)
14.0
13.5
13.0
1994 1997 2000 2003 2006 2009 2012 2015 2018 2021 2024
Year



China Rockfish Commercial Weight Samples
1 70 534 369 591 206 428 711 363 422 512 988 591 675 519 475 472 441 519 828 378 605 1165 1306 1071 876
Average Weight (lb)
2.0
1.5
1999 2002 2005 2008 2011 2014 2017 2020 2023
Year



Quillback Rockfish Commercial Length Samples
4 25 200 214 59 50 134 20 140 127 55 63 69 191 150 214 190 102 77 214 199 355 216 313 42 180 65 22
Average Length (in)
16
14
12
10
1997 2000 2003 2006 2009 2012 2015 2018 2021 2024
Year



Quillback Rockfish Commercial Weight Samples
20 8 46 19 65 20 73 127 54 58 63 191 128 211 157 102 72 214 199 351 216 313 42 180 65 22
Average Weight (lb)
3.5
3.0
2.5
2.0
1.5
1999 2002 2005 2008 2011 2014 2017 2020 2023
Year



Copper Rockfish Commercial Length Samples
9 85 92 28 39 52 11 41 31 19 14 42 79 59 63 75 26 78 102 112 219 125 147 164 243 210 66
Average Length (in)
15
16
17
18
1998
2001
2004
2007
2010
2013
2016
2019
2022
2025
Year



Copper Rockfish Commercial Weight Samples
4 9 21 27 52 11 41 30 19 11 34 79 45 61 75 26 78 102 112 219 125 147 164 243 210 66
Average Weight (lb)
2
3
4
5
1999
2002
2005
2008
2011
2014
2017
2020
2023
Year



Grass Rockfish Commercial Length Samples
171 71 188 25 44 80 91 29 28 19 15 2 9 13 9 20 1 4 1 4 62 25 12 5 4
Average Length (in)
14
15
16
17
18
19
1999
2002
2005
2008
2011
2014
2017
2020
2023
Year



Grass Rockfish Commercial Weight Samples
81 13 44 80 88 29 28 19 15 2 9 13 9 20 1 4 1 4 62 25 12 5 4
Average Weight (lb)
2
3
4
5
2002
2005
2008
2011
2014
2017
2020
2023
Year



Gopher Rockfish Commercial Length Samples
Average Length (in)
Year



Gopher Rockfish Commercial Weight Samples
Average Weight (lb)
Year



Black & Yellow Rockfish Commercial Weight Samples
Average Weight (lb)
Year



Black & Yellow Rockfish Commercial Length Samples
Average Length (in)
Year



Kelp Greenling Commercial Length Samples
165 192 1442 2898 3868 1695 2560 1638 1993 2063 1537 1146 1826 2546 1596 2380 1903 1463 1238 977 1239 899 606 763 1509 1972 1989 1434
Average Length (in)
15.0
14.5
14.0
13.5
13.0
1997 2000 2003 2006 2009 2012 2015 2018 2021 2024
Year



Kelp Greenling Commercial Weight Samples
6 3 472 246 1151 577 1456 2063 1537 1123 1818 2528 1566 2323 1903 1463 1238 977 1236 899 606 763 1509 1972 1989 1434
Average Weight (lb)
2.00
1.75
1.50
1.25
1.00
1999 2002 2005 2008 2011 2014 2017 2020 2023
Year



Cabezon Commercial Length Samples
57 40 802 1228 1293 776 774 599 593 813 400 414 776 837 663 601 677 603 748 941 742 918 297 795 914 952 667 590
Average Length (in)
21
20
19
18
1997 2000 2003 2006 2009 2012 2015 2018 2021 2024
Year


Cabezon Commercial Weight Samples
34 39 395 451 767 581 583 808 399 400 717 835 643 577 677 603 748 941 727 918 297 795 913 952 667 590
Average Weight (lb)
6.5
6.0
5.5
5.0
4.5
4.0
1999 2002 2005 2008 2011 2014 2017 2020 2023
Year



Vermilion Rockfish Commercial Length Samples
Average Length (in)
Year



Vermilion Rockfish Commercial Weight Samples
Average Weight (lb)
Year



Tiger Rockfish Commercial Length Samples
Average Length (in)
Year



Tiger Rockfish Commercial Weight Samples
Average Weight (lb)
Year


Appendix D. 2025 nearshore species commercial length and weight sample averages by port with sample sizes (top) and 95% confidence intervals.















Deacon Rockfish Commercial Lengths by Port
68
20
80
33
441
322
26
Average Length (in)
15.0
14.5
14.0
13.5
13.0
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Deacon Rockfish Commercial Weights by Port
68
20
80
33
441
322
26
Average Weight (lb)
2.4
2.2
2.0
1.8
1.6
1.4
1.2
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



China Rockfish Commercial Lengths by Port
8
0
27
23
668
134
16
Average Length (in)
14
13
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



China Rockfish Commercial Weights by Port
8
0
27
23
668
134
16
Average Weight (lb)
2.5
2.0
1.5
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Quillback Rockfish Commercial Lengths by Port
Average Length (in)
15
22 0 0 0 0 0 0
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Quillback Rockfish Commercial Weights by Port
Average Weight (lb)
2.5
2.0
22 0 0 0 0 0 0
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Copper Rockfish Commercial Lengths by Port
Average Length (in)
17
16
15
14
6 0 20 9 27 4 0
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Copper Rockfish Commercial Weights by Port
Average Weight (lb)
4.5
4.0
3.5
3.0
2.5
2.0
6 0 20 9 27 4 0
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Kelp Greenling Commercial Lengths by Port
3
0
43
20
1159
184
25
15
14
Average Length (in)
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Kelp Greenling Commercial Weights by Port
3
0
43
20
1159
184
25
1.8
1.6
1.4
Average Weight (lb)
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Cabezon Commercial Lengths by Port
3
0
84
26
407
64
6
22
20
18
Average Length (in)
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group


Cabezon Commercial Weights by Port
3
0
84
26
407
64
6
8
6
4
Average Weight (lb)
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Vermilion Rockfish Commercial Lengths by Port
1 0 9 6 79 12 5
Average Length (in)
22
21
20
19
18
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Vermilion Rockfish Commercial Weights by Port
1 0 9 6 79 12 5
Average Weight (lb)
8
7
6
5
4
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Tiger Rockfish Commercial Lengths by Port
2 0 14 0 3 0 0
Average Length (in)
16
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group



Tiger Rockfish Commercial Weights by Port
2 0 14 0 3 0 0
Average Weight (lb)
4
3
2
Garibaldi
Pacific City
Newport
Bandon
Port Orford
Gold Beach
Brookings
Port Group


Appendix E. 2025 nearshore species commercial length and weight sample averages by gear with sample sizes (top) and 95% confidence intervals.















Deacon Rockfish Commercial Lengths by Gear Type
876
87
27
Average Length (in)
14.0
13.5
13.0
Hook & Line
Bottom Longline
All Other Gear
Gear



Deacon Rockfish Commercial Weights by Gear Type
876
87
27
Average Weight (lb)
1.8
1.6
1.4
Hook & Line
Bottom Longline
All Other Gear
Gear



China Rockfish Commercial Lengths by Gear Type
803
73
0
Average Length (in)
13.4
13.3
13.2
13.1
13.0
12.9
12.8
12.7
Hook & Line
Bottom Longline
All Other Gear
Gear



China Rockfish Commercial Weights by Gear Type
803
73
0
Average Weight (lb)
1.9
1.8
1.7
Hook & Line
Bottom Longline
All Other Gear
Gear



Quillback Rockfish Commercial Lengths by Gear Type
0
0
22
15.3
15.2
15.1
15.0
14.9
14.8
14.7
14.6
14.5
14.4
14.3
Average Length (in)
Hook & Line
Bottom Longline
All Other Gear
Gear



Quillback Rockfish Commercial Weights by Gear Type
0
0
22
2.5
2.4
2.3
2.2
2.1
2.0
Average Weight (lb)
Hook & Line
Bottom Longline
All Other Gear
Gear



Copper Rockfish Commercial Lengths by Gear Type
33
33
0
17.2
17.0
16.8
16.6
16.4
16.2
16.0
15.8
Average Length (in)
Hook & Line
Bottom Longline
All Other Gear
Gear



Copper Rockfish Commercial Weights by Gear Type
33
33
0
4.0
3.8
3.6
3.4
3.2
3.0
Average Weight (lb)
Hook & Line
Bottom Longline
All Other Gear
Gear



Kelp Greenling Commercial Lengths by Gear Type
1379
55
0
Average Length (in)
14.8
14.6
14.4
14.2
Hook & Line
Bottom Longline
All Other Gear
Gear



Kelp Greenling Commercial Weights by Gear Type
1379
55
0
Average Weight (lb)
1.7
1.6
1.5
Hook & Line
Bottom Longline
All Other Gear
Gear



Cabezon Commercial Lengths by Gear Type
493
97
0
Average Length (in)
22.0
21.5
21.0
20.5
20.0
19.5
19.0
Hook & Line
Bottom Longline
All Other Gear
Gear


Cabezon Commercial Weights by Gear Type
493
97
0
Average Weight (lb)
7.5
7.0
6.5
6.0
5.5
5.0
Hook & Line
Bottom Longline
All Other Gear
Gear


Vermilion Rockfish Commercial Lengths by Gear Type
91
20
1
20.0
19.5
19.0
18.5
18.0
Average Length (in)
Hook & Line
Bottom Longline
All Other Gear
Gear


Vermilion Rockfish Commercial Weights by Gear Type
91
20
1
6.0
5.5
5.0
4.5
Average Weight (lb)
Hook & Line
Bottom Longline
All Other Gear
Gear


Tiger Rockfish Commercial Lengths by Gear Type
4
15
0
18
Average Length (in)
Hook & Line
Bottom Longline
All Other Gear
Gear


Tiger Rockfish Commercial Weights by Gear Type
4
15
0
4
Average Weight (lb)
Hook & Line
Bottom Longline
All Other Gear
Gear